605

POWER

v. 78

GENERAL INDEX TO VOLUME LXXVIII

January—December, 1934

January	Pages	1-58
February	"	59-112
March	"	113-168
April	"	169-222
May	"	223-278
June—Golden Anniversary	"	279-370
July	"	371-426
August	"	427-480
September	"	481-536
October	"	537-590
November	"	591-648
December	"	649-702
Mid-December	"	703-760

A

ACCIDENTS AND ACCIDENT PREVENTION

Page

Flywheel failure causes mystery. H. G. Smith 91
Gas leak into boiler, causes explosion. S. H. Ashton 90
Guard for a right angle gear drive. S. H. Cooke *461
Hawk's Nest penstock fails under test.. 698
Penstock failure wrecks Lac Noir hydro plant 163
Safety with diesels. V. L. Maleev.... *142
Shutting down gas engine compressor plant quickly. F. L. Kallam..... *178
Violation of safety rules bars damage for injury. Leslie Childs 579
When and why boilers are safe. D. S. Jacobus *118

AIR COMPRESSORS

Air blows dirt from Empire State Bldg. steam lines *557
Compressed air operation of steam hammers 151
Compressor data (Power's Data Sheets) 390
How long to empty an air tank. David Fliegelman *496
Oil ignited in oil separator on air compressor. W. E. Warner 461
Old Corliss engine drives big blowers without steam. L. W. Hayward..... 125
Story of compressed air *311

AIR CONDITIONING

A.S.H.V.E. discusses better air at meeting 152
Department of Justice Building, Washington, D. C., air conditioned (picture feature) 553
Freon refrigerating plant air conditions new post office, Washington, D. C. R. N. Ward *392
Gold mine to have 2,000 ton conditioner. 475
Interior Dept. gets $750,000 for air conditioning buildings 216
Kline's specialty store air conditioned by unit system. Paul Reed *384
1933 developments in air conditioning and refrigeration *38
Preheating applied to air conditioning. Andre Merle *236
Psychrometric chart (Power's Data Sheets) 140
Refrigeration by steam jet. D. W. R. Morgan *454, *506
Story of heating and air conditioning.. *312
Tailor-made weather. R. B. Purdy.... *604
Tribune Tower to have steam-jet refrigeration plant 216
Washington's post office provided with three types of systems for air-conditioning and heating. R. N. Ward.... *440

ALGEBRA

The a-b-c of algebra. C. R. Chadbourne 150
Solving simple equations. C. R. Chadbourne 262
American Institute of Electrical Engineers —How large central stations handle switching 94
American Society for Testing Materials—Plans tests on steel and coal 217
American Society of Heating and Ventilating Engineers—New York meeting—air conditioning, heating plant corrosion, heating and ventilating exposition 152
Semi-annual meeting in Poconos..... 419
American Society of Mechanical Engineers—Highlights of the annual meeting *722
New officers *719
Practical pointers selected during power week 720
Session for central stations talks on stokers 715
American Society of Refrigerating Engineers—Annual meeting 730
American Welding Society & National Metal Congress—Exposition and meeting discussing welding *620
Ash catcher. See Smoke abatement.
Ash handling. See Smoke abatement.
Association of Iron & Steel Electrical Engineers—Cleveland convention 576

B

Barry, Edward H.—brief life *675

BEARINGS

Gages one-half bearing to obtain diameter. P. C. Bruht *569
Improper attention causes bearing failures on hydro-electric units. R. B. Glen 79
Melting babbitt out of bearings 264
Beer—Beer makes cheaper beer 121

BELTS

Belts join refrigerating compressors with engines *65
Connecting motor and load. Robert Drake *490
Flat belt power losses and how to reduce them. R. W. Drake *238
Reclaiming leather belts. Mills, Brodie 47
Rubber belt quarter of mile long..... *475
To study work required to flex belts.. 207
Binary cycles—A.S.M.E. meeting discuss. 715

BOILERS

Auxiliary pointer on pressure gage magnifies changes in pressure. C. L. Alexander *683
Beacon Street heating plant of Detroit Edison adds circulating tubes and reduces moisture in steam. E. M. Brown. *76
Benson boiler operated at variable pressure. F. Ohlmuller 206
Boilers at Lakeside Station of Milwaukee Railway & Light Co. show high availability 672
Boiler tube replace in two sections. H. M. Spring *683
Caulking to prevent caustic embrittlement. E. F. Eckel 550
Caustic embrittlement costly 600
Changing position of burners corrects refractory troubles. H. M. Spring. *43
Cleaning oil coolers. W. E. Warner.... 568
Clinton Cotton Mills' power plant has a new arrangement of gas flow in boilers. Guy Mankin *483
Coal charges for banking, lighting, burning-out (A.S.M.E. meeting) 717
Compression chamber for blow down valves. A. A. Fredericks 405
Constant steam pressure where? Miller, Brockner, Septor, Spring 572
Do new oil burners under old boilers damage boilers or settings? Spring, Brearley, Olive, Hoffman, Lincoln, Degen 154
Don't return condensation from oil heaters to boilers. Wm. Wilcox.... *91
Draft-gage connections that prevent trouble. C. C. Phelps *672
Effect of preheat on stoker operation 596
Endicott-Johnson replaces six old boilers with one pulverized fuel boiler. F. A. Westbrook *182
Experimental process 1,500 lb. boiler.. *274
Experiments show boiler tubes painted and unpainted and action of steam.. *207
Firebox boiler fired by chain grate stoker in two Freeport Schools..... *179
Firing coal to pulverized fuel furnaces. H. M. Spring, Jr. *543
Firing of industry's boilers high in obsolescence (chart) 708
Foreign power — summarizing 1933 progress *29
Fuel and air metered to South Amboy boilers. F. A. Annett *544
Furnace temperature damages boiler supporting columns. B. Bovenzi *629
Furnace under Heine boiler at Pillsbury Flour Mills *53
Goodyear adds 800-lb. pressure boiler and turbine. H. A. Davis *225
Hershey Chocolate Corp. adds new boilers. Alton Kirkpatrick *61
High pressure feeder for boiler compound. H. M. Spring, Jr. *257
Highest pressure U. S. boiler drum at Philip Carey Co., Lockland, O..... *353
Hydrostatic-regulator control for feed water system. C. O. Perkins..... *627
Increasing plant capacity. Mattbaw, Septor, Brown, Sorrells, Pef..... 209
Ingredients of cheap steam 796
Installing soot blowers. Raymond Septor 88
Loeffler boilers supply steam at Trebovice, Czechoslovakia *96
More about blowdown. T. P. Browne 44; E. F. Eckel 148; W. W. Gaylord.... 260
Mount Holyoke multi unit heating plant goes into operation 697
New turbines with old boilers for packing plants. J. Y. Dahlstrand..... *188
Paint versus bubbles. C. J. Hunter.... 516
Paint versus bubbles. A. J. Lubeley.... 406
Photo-electric cell insures ignition flame in furnace. R. M. Bowser..... *685
Pilot valve regulator replaces mercury column. M. E. Wagner..... *403
Pitting of heating boiler 208
Replacing boiler tubes. C. A. Armstrong. *203
Sediment tank installed to prevent gage glass blowouts. M. E. Wagner.... *146
Reports on ages of 1789 boiler accessories (chart) 709
Return trap operation *614
Soot-blower maintenance. W. E. Warner 261
Stack base damper improves combustion control, St. George Hotel. J. A. Sether *88
Staging for vertical fire tube boiler furnace. H. M. Spring *627
Steam generating equipment developments of 1933 ..... *8
Steam plants that made history—Braithwaite table engine *247
Story of steam. E. J. Tangerman..... *287
Tests of boiler at National Bureau of Standards *562
Thermocouple of high velocity measures hot gases accurately. H. F. Mullikin. *565
31% of firetube boilers, 40% watertube, obsolete (chart) 707
Traps reduce superheater maintenance costs. S. H. Coleman *684
Variations in draft losses across boilers. W. F. Pray 463
Water column indications may be misleading. F. R. Baker 44
Water seal traps air. Wm. Anderson.... 148
Water-starved boiler tubes and how to avoid them *383
Water wall used in boiler of ancient vintage. L. R. Baker *42
When and why boilers are safe. D. S. Jacobus *118
Who's billed for blowdown? S. H. Coleman 205
Who's billed for blowdown? not the boiler. S. H. Coleman. What's a boiler? C. H. Berry *132

BOOK REVIEWS

A.S.M.E. power boiler code 157
Air conditioning. J. A. Moyer..... 49
America's hour of decision. Glenn Frank 597
Applied hydraulics. Herbert Addison.... 575
Arch-dam investigation 469
Beyond the new deal. David Lawrence.. 597
Boiler feed and boiler water softening. Blanning & Rich 411
Building an engineering career. C. C. Williams 267
Business versus finance. David C. Coyle 597
Centrifugal pumps, turbines and propellers. Wilhelm Spannhake..... 267
Chemical engineers' handbook, ed. by J. H. Perry 157
Choosing a career, ed. by George Bijur 691
Combustion. George Segeler 267
Design and use of instruments and accurate mechanism. T. N. Whitehead 469
Die dampfkessel. Spalckhaver & Ruster. 525
Diesel engineering handbook, ed. by L. H. Morrison 691
Diesel handbook. Julius Rosbloom ... 524
Economics of the recovery program.. 211
Electric power metering. A. E. Knowlton 691
Electrical engineering practice. Meares & Neale 49
Electron tubes in industry. Keith Henney 635
Elementary engineering thermodynamics. T. H. Taft 211
Elements of heat power engineering. W. N. Barnard, and others 574
Elements of hydraulic power generation. A. M. Greene 157
Engine indicator. K. J. DeJuhasz.... 267
Fifty reports on mechanical power transmission from motor drive to industry. R. W. Drake 469
Gas engineers' handbook 524
Handbook of chemistry and physics, ed. by C. D. Hodgman 101
Handbook of N.R.A. Lewis Myer 469
Hydraulics. Ernest W. Schroder 691
Introduction to internal combustion engineering. J. B. O'Snedden..... 101
Inventions, patents and trade marks. Milton Wright 211
Kinetic theory of gases. L. B. Loeb ... 524
Manual for the design of piping for flexibility by the use of graphs. E. A. Wirt and others 524
Mechanical engineering laboratory practice. C. F. Shoop..... 575
Mechanical vibrations. J. P. Den Hartog 524

(*) Illustrated. (Ed.) Editorial

Page

Metallurgy of iron and steel. Bradley Stoughton 411
Mitteilungen aus den forschungsanstalten des Gutehoffnungshuttekonzerns 469
Modern diesel 211
National electrical code handbook. A. L. Abbott 411
NEMA motor and generator standards 635
1933 book of A.S.T.M. standards..... 101
Power plant testing. J. A. Moyer..... 524
Power sales. Dean Taylor 49
Power supply economics. J. D. Justin.. 101
Principles of metallurgy. Liddel & Doan 49
Report by Durable Goods Industries Committee 411
SAE-ASME Diesel Fuel Research Committee Report 525
Smoke and the atmosphere. J. R. Ashworth 575
Stromungsgesetze in rauen rohren. J. Nikuradse 469
Technical thermodynamics. W. Schule.. 157
Technics and civilization. Lewis Mumford 525
Technische tabellen 469

C

Cableway, world's largest, serves Boulder Dam plant. C. C. Clymer 502
Cather, J. Howard—brief life *674
Chimneys—Stack lasted 65 years. Carl Scholz 686

COAL

Fairbanks hopper coal scale, 1885....*389
How to find ultimate from proximate analysis. N. L. Korn 249
Old-Quaker distillery adds skip hoist, weigh larry and three new boilers. H. V. Schiefer *80
Storage of bituminous coal. H. M. Spring 404
Ten ways to weigh coal to boiler firing equipment *126
Weigh coal at the gate—don't pay for fuel you don't get *66
Combustion—Stack base damper improves combustion control. St. George Hotel. J. A. Sether *88
Compressed air. See Air compressors.

CONDENSERS

Kansas Power & Light uses hoist to remove sand from water intake. Rumatz & Johnson *434
Largest surface condenser — Westinghouse *246
1933 advances in turbines, engines, condensers *12
Propeller-type pumps applied to surface condensers. C. B. Tuley *395
Pump suction used as condenser. C. W. Peters *627
Soap to condense steam 273
Surface condenser data (Power's Data Sheets) *626
Synchronous condenser 208
Vacuum problem. C. J. Wilder..... 259

CONTROL

Automatic regulator with new stabilizing principle *504
Constant-speed control of steam prime movers. R. G. Standerwick.....*450
Control panel for boiler equipment in Goodyear modernized plant. H. A. Davis *227
Flexible gas firing in Holly Sugar Co. follows load fluctuations *124
Graphic wattmeter controls maximum demand. Roush & Stromer *613
Hydrostatic-regulator control for feed water system. C. O. Perkins *627
Metering fuel and air at South Amboy station. F. A. Annett *544
Niagara Falls Power Co. adapts old governors for new regulating job. E. B. Strowger *680
1933 developments in metering and control *36
Painted marker shows when to turn on lights. O. K. Johnson *513
Paralleling the operation of extraction turbines. J. D. Carson *494
Photo-electric cell insures ignition flame in furnace. R. M. Bowser *685
Pilot valve regulator replaces mercury column. M. E. Wagner *403
Pull the switch to shut down gas engine compressor plant quickly. F. L. Kallam *178
Safe Harbor plant—story of research problems met in designing and operating project. F. A. Annett, pt. 1 *380; pt. 2 .....*438
Thermocouple of high velocity measures hot gases accurately. H. F. Mullikin..*565
Thyratron regulates voltage of 90-Kva. alternator. G. G. Kretschmar *386
Valve indicating devices. G. H. Pearson.*402
Washington, D. C.—central heating plant installed for administrative buildings. F. P. Fairchild *373
Cooling tower—American Circle's cooling tower serves refrigerating machines and condensing turbine *115

Page

Freon refrigerating plant air conditions new post office, Washington, D. C. R. N. Ward *392

CORROSION

Condensate return line corroded. Collins, Little, Summers 264
Heating plant corrosion discussed at A.S.H.V.E. meeting 152
Pitting of heating boiler 208
Sprayed molten metal coatings applied by gun. E. J. Tangerman *661

COSTS AND PERFORMANCE

A.W.A. Club House plant shows operating savings of $47,000. G. M. Hanna.*600
American Chicle adds turbines to pay out in 3½ years.....*115
Auxiliary oil burner saves fuel. C. H. Churchill 144
Capacitor cuts paper company's demand charge. F. A. Stortz, Jr. *461
Creamery modernizes power equipment and saves $10,500. George Spurgeon.*459
Foreign diesel plant operating logs....*618
Found engine and shafting most economical. Alfred Kullman 407
Gas engines in ice plant save owners 44 per cent 131
Grain elevator changed from steam-engine drives to motor drives and saves. M. A. Buettel *176
High speed vs. low speed diesels. Boyd Candlish 631
Hydraulic couplings lessen forced draft fan power at Richmond Station.....*398
Keep cost records. Swain, Vaksdal & Cather *656
Michigan saves $60,500 in institution power costs 163
Michigan's state institutions drive for economy in power. R. J. Williams.... 376
Minnesota's largest brewery modernizes plant to pay out in 4 years *593
New turbines with old boilers for packing plants. J. Y. Dahlstrand *188
Operating data of high speed convertible gas-diesels. W. M. Kaufman *70
Plugging the leaks cuts fuel cost 40%. E. S. Brown 130
Power plant engineer saves owner $50,000 a year. A. S. Wells *234
Replace obsolete pumps and save money. F. A. Kristal *670
Select the right turbines for your industrial power plant. R. S. Fitch....*598
Standardized diesel electric unit possibilities. W. W. Gaylord 493
Variable speed drives reduce pump operating costs. Arnold Frank.....*547
Virginia saves $73,000 yearly on institution plants 183
Wasted dollars (Ed.) 703
Western Union shifts to oil firing; to pay out in two years *122
Weigh coal at the gate—don't pay for fuel you don't get *66
What electricity costs and where it comes from 68
Wilson & Co., Chicago plant, modernizes to pay out in five years. J. M. Lenone *184
Wise changes in bearing oil grooves paid big dividends. E. K. Nicholson.... *74
Credit—"bottle neck." L. C. Herrick.... 260

D

Dust recovery. See Smoke abatement.

E

Edison Institute—monument to men and power *26

ELECTRICITY

A.-C. generators can be paralleled. Soares, Brodie, Molinet, Dingwall, Gibson, Young 520
A.-C. generator design determines if it can be used for synchronous motor. Dunn, Bender, von Dannenberg, Emerson, Clucas, Lingar, Myers 47
Armature insulation resistance (Power's Data Sheets) 676
Boulder Dam to have the World's largest circuit breakers *379
Capacitor cuts paper company's demand charge. F. A. Stortz, Jr. *461
Capacitor installation eliminates overload on turbine-generator. F. A. Stortz, Jr. *515
Capacitor installation pays for itself in eleven months. F. A. Stortz, Jr..... 629
Checking synchroscope connections. Max Pafenbach 683
Connecting motor and load. Robert Drake *490
Costs of electricity and where it comes from 68
Diesel-electric sets operated in parallel. G. D. Thomas 463

Page

Don't economize on power maintenance. H. M. Spring 82
Dumbwaiter signals its arrival *244
Elevator operation improved by new grade of brushes. W. H. Cline.... 403
Emergency switch for star-delta motor. M. R. Smith *568
Energy on parade. P. W. Swain.....*355
Five ways to start up propeller pumps in parallel. C. B. Tuley *187
Fuses blown by defective bushing. M. H. Weaver 514
Good electrical insulation. Hoffman, De Camp, Pickett, Myers 266
Grain elevators changed from steam-engine drives to motor drives and save. M. A. Buettell *176
Graphic wattmeter controls maximum demand. Roush & Stromer *613
How to rewind 25 cycle coil for 60 cycles 408
Hydraulic couplings lessen forced draft fan power at Richmond Station....*398
Hydro-unit test of speed relay made without a tachometer. Max Pafenbach 513
Induction motor output determined with ammeter. M. M. Rose *42
Inductor-type synchronous motor built in 1895. W. J. Ligon 148
Insulation resistance. Courtland Van Groder 464
Insulation resistance. H. M. Spring, Jr..*517
Insulation resistance of armature winding for synchronous machines below 1,000 kva. (Power's Data Sheets)... 556
Insulation resistance of induction motor stators (Power's Data Sheets) 446
Insulation resistance should be above one megohm. R. W. Edwards..... 463
Laboratory lightning for experiments (picture feature) 443
Maintaining brushes on rotary converters. T. E. Miller 204
Meter hook-up 46
Metering fuel and air at South Amboy station. F. A. Annett *544
Modern elevator-door operating equipment is safe. F. A. Annett *190
Motor maintenance. H. R. Larson....*229
1933 developments *34
Oil circuit breaker contained within insulators *136
Oscillograph analyzes governor performance. J. E. Allen *610
Overheated fuses may be caused by poor contact. Miller, Myers, McLean, Hunt, Leisher, Fuller 633
Part-winding starting of synchronous motors. Kilbourne & Halberg *558
Portable, variable speed power unit (from an old automobile) *202
Power door operators put pep in elevator service. F. A. Annett *242
Power from the atom? O. H. Caldwell..*368
Power to drive a fan 98
Pull the switch to shut down gas engine compressor plant quickly. F. L. Kallam *178
Red light warns when fan is shut down. A. C. Arnold *569
Relocation of combustion switch cures oil burner trouble. A. Anderson....*145
Rotary converter's operation improved by rewinding. F. D. Baird.....*257
Rotor bar comes loose from end rings.. 632
Safe insulation resistance. J. A. Schneider 407
Safety marking for disconnect switches. R. F. Sorrells *684
Slip ring treatment against chlorine gas. W. E. Warner 89
Smoke indicator. Meinzer, Spring, McNeill, Parry, Oatley 99
Sparking at brushes caused by pulley out of balance. C. O. Perkins..... 462
Standardized diesel-electric unit possibilities. W. W. Gaylord 493
Star-delta starter used on standard motor. L. A. Hunt 686
Steam standby generating set operates automatically. R. G. Barbour..... *90
Story of electricity. E. J. Tangerman..*300
Switching for large central stations—A.I.E.E. 94
Synchronous motor uses. C. C. Shutt.. *86
Testing efficiency of laminated brush contact. W. E. Warner 259
Testing for a reverse coil in a stator winding. C. H. Fenton *628
Three lamp ground detector *208
Thyratron regulated voltage of 90 Kva. alternator. G. G. Kretschmar *386
Two-speed motors drive ventilating fans for Boston's vehicular tunnel.....*433
Variable speed drives reduce pump operating costs. Arnold Frank.....*547
Ventilating system for large rotary converters *92
Vibration of turbines discussed at A.S.M.E. meeting 718
Voltage regulation 632
Weak magnets cause wattmeter to over register. V. K. Stanley.....*146
What size motor? 46
When new transformers will save money over old. J. B. Gibbs *433

ELEVATORS

Modern elevator door operating equipment is safe. F. A. Annett *190
Operation improved by new grade of brushes. W. H. Cline 403
Power door operators put pep in elevator service. F. A. Annett *242

(*) Illustrated. (Ed.) Editorial

Page

Story of elevators *316
Wall & Hanover Realty building keeps elevators on the job by better maintenance. Conrad Langschultz *606
Way to release safeties on elevator cars. 408
Energy on parade. P. W. Swain *355

ENGINEERING

Balance (Ed.) 371
Chief or efficiency man? N. T. Pef.... 245
Emergency engineering. John Talbot.... 181
Engineer of tomorrow. P. W. Swain.. *370
Engineer's philosophy (Ed.) 537
Engines, compressed air. Boyd Candlish. 406

ENGINES—INTERNAL COMBUSTION

Additional gas-engine plants installed in U. S. during past year 142
Are your diesels maintenance hounds? P. M. Thayer 667
Avondale Farms Dairy Co. uses small diesel plants for its stores..... *377
Belts join refrigerating compressors with engines *65
Book on history of gas and oil engines. 466
Charlesworth gives data on utility diesel plants 563
City of Vernon, Calif., diesel-electric plant (Plants typical of 1934). R. B. Purdy *330
Completely dieselized ice plant. F. A. Westbrook *523
Crankless opposed-piston diesel engine at Motor Boat Show *85
Diesel-electric sets operated in parallel. G. D. Thomas 463
Diesel engine driving deep well pump in Mojave Desert, Calif. *64
Diesel engines and their applications discussed at A.I.S.E.E. convention.... 576
Diesel noise and vibration. M. M. Gooch 686
Diesel noise and vibration. Rosenzweig, Bender, Dingwall, Bernhard, McIntosh, Dunbar, Ryan, Hughes, DeCamp.... 467
Diesel progress discussed at A.S.M.E. meeting 730
Foreign diesel plant operating logs *618
Free piston diesel compressor. J. G. Coutant *92
Gas and diesel engines drive pumps through gears *141
Gas engine vibration 572
Gas engines in ice plant save owners 44 per cent 131
Gas producer, a reborn power source. Ludwig Lustig *457
Gas producers dormant in America. J. H. Bender 630
Gas producers vs. diesels. O. F. Allen 686
High speed vs. low speed diesels. Boyd Candlish 630
High vs. low speed diesels—operating figures. William Taylor 685
Horizontal opposed diesel—Brush *256
Indicator reveals conditions of gas mixing valve. H. F. Shepherd..... *252
Inertia supercharging of a semi-diesel engine. A. H. Zerban 453
Lubrication costs increase with small diesels. T. S. Winters 516
Ohio Wax Paper Co. installs a diesel power plant *566
Oil and gas engine developments in 1933 *16
Oil and gas engines' future. E. J. Tangerman *367
Oil & Gas Power engineers meet at Pennsylvania 418
Oil vapor from two cycle diesel crankcase. W. W. Dingwall 571
One Park Avenue, N. Y. C., diesel electric plant (Plants typical of 1934). R. B. Purdy *332
Operating data of high speed convertible gas-diesels. W. M. Kaufman *70
Operating and maintaining diesels. Geoffrey Porter 522
Packings in variety spell safety in power plants. S. H. Cooke 551
Power plant from auto engine..... *564
Production of diesel and semi-diesel engines 479
Production of prime movers in 1933... 682
Sixty-four diesels in one plant are practical. R. M. Schaefer..... *232
Sixty-four diesels in one plant practical? J. H. Bender 464
Standardized diesel-electric unit possibilities. W. W. Gaylord 493
"Still" engine 154
Straightening diesel crankshafts. Keck, Warner, Vander Eb 689
Story of oil and gas engines. E. J. Tangerman *297
Sulzer diesel for world's largest diesel plant *111
Supercharger or added diesel to increase capacity. Shenk, Martin, Winters, Dingwall, Pomeroy 634
Typical gas engines—plants installed in U. S. in 1933. E. J. Tangerman.... 18
Typical new gas engine installations—table comp. by E. J. Tangerman.... 349
Typical recent diesel installations—table comp. by E. J. Tangerman 346
Typical small diesel plants—table comp. by E. J. Tangerman 349
Which depreciates more rapidly, steam or diesel engine? Kennedy, Bender.. 156
World's largest diesel station adds 13,700 Hp. unit. Shanghai, China *198

ENGINES—STEAM

Book on history of steam engines 466

Page

Famous old engines at Franklin Institute Museum (picture feature).... 497
Heating plant corrosion discussed at A.S.H.V.E. meeting 152
How to minimize steam flow pulsation. Cantrell, Spring, Hahn, Martin..... 573
Many Corliss engines ran on air. S. A. Moss 260
1933 advances in turbines, engines, condensers *12
Old Corliss engine drives big blowers without steam. L. W. Hayward..... 125
Packings in variety spell safety in power plants. S. H. Cooke 551
Production of prime movers in 1933 ... 682
Statistics on prime mover ages show costly power (chart) 712
Steam consumption rates. Hahn, Bennett, Dunn, Long 688
Steam-engine exhaust will deposit some oil in heating system. Lingard, Bell, Sforzini, O'Hare, Martin, Reilly 518
Steam plants that made history—Braithwaite table engine *247
Steam plants that made history—Coalbrookdale engine *193
Steam plants that made history—Moira engine *139
Steam plants that made history—Stamford engine *25
Steam plants that made history—Warwick horizontal engine *387
Steam plants that made history—Warwick Navigation's engine *83
Steam plants that made history—"Windmillend" winding engine *138
Steam saving 98
Story of steam. E. J. Tangerman.... *287
Walking beam in Franklin Institute Museum *501
Which depreciates more rapidly, steam or diesel engine? Kennedy, Bender.. 156

EQUIPMENT—NEW

Air agitation system *528
Air-conditioner 529
Air filter *417
Alarm, water *527
Ammeter, surge crest *417
Ammeter, testing 412
Arrester, arc 51
Arresters, station-type lightning *212
Bearing bronze 415
Bearing, cork insulated ball..... *639
Belt, hot material 529
Belt, multi-V *415
Belting, power transmission *212
Belts, endless rubber *581
Blowdown system, continuous *528
Blower, high power 580
Blower, portable *413
Blower, soot *526
Blower, turbo 693
Blowers with variable speed drives 268
Blowpipe *471
Boiler, integral-furnace *412
Bolt, sound isolating *103
Brakes, electric *526, *693
Brazing flux 693
Breaker, oil blast *214
Breaker, oil circuit *161, *271
Cable, fire resisting 470
Cable, fireproof *269
Calorimeter, gas *417
Capacitor, dusty atmosphere *527
Car spotter, motorized *695
Cement, refractory 416
Chain, silent *526
Chain, stainless steel 417
Circuit breaker *583
Circuit breaker, heavy duty *692
Circuit breaker, oil..*105, *417, *527, 638
Circuit recloser, oil *693
Cleaner for boiler tubes *51
Cleaner, intake gas *102
Cleaner, vapor spray *527
Cleaning machine, automatic 50
Coal distributor *472
Coating, protective 692
Compound, relay 529
Compressors, air and gas *212
Compressor, ammonia *413
Compressor, centrifugal 527
Compressors, diesel or gas-engine refrigeration *102
Compressor, refrigerating 270
Compressor, vertical *161
Condensate-removing device *104
Condensate return unit 214
Condenser, vertical atmospheric *271
Connection pressure *161
Control, automatic, for humidity *270
Control, ball bearing remote *215
Control, electric temperature *213
Control, electric variable speed 471
Control, master *416
Control trip *472
Controller *159
Controller, arc welder *527
Controller, automatic combustion *158
Controller, draft *103
Controller, humidity *105, *693
Controller, motor-belt tension *580
Controller, photo-electric *580
Controller, pushbutton hoist *693
Controller, supervisory 582
Controller, temperature 269, *529
Controller, thermometer *414
Controller, time and temperature *52
Controller, valve *580
Cooler, steam operated *473
Coupling, flexible 412, *473
Coupling, gasket type *212

Page

Couplings, torque-ring *215
Cut-off, low water *270
Cutout, open-fuse 105, 583
Detector, water level *416
Die head, quick-setting *103
Diestocks *638
Draft, transparent draft *158
Dressing, liquid belt 582
Drill, star 269
Electrode 526
Electrode, cast iron welding 102
Electrode, coated 581
Electrode, general purpose 471
Electrode, hard surfacing 270
Electrode, high tensile 473
Engines, air cooled *269
Engine, diesel *413
Engine, four cycle diesel *160
Engine, sleeve-valve diesel *51
Engine, truck piston diesel *158
Equalizer, elevator-rope *472
Equalizer for elevator ropes *215
Fan covering, acid proof *636
Fan mounting *470
Fan, ventilating *472
Feeder, corrosive solution *637
Filter-frame 104
Firebrick, insulating 582
Floor repair material 214
Floor resurfacing material 103
Fuse cutout, drop out *639
Fuse links, cable type *637
Fuse puller *412
Fuses, voltage *637
Gadget to throw needle of galvanometer. *596
Gage, automatic liquid *580
Gage, fluid *52
Gage, square case pressure *214
Gage, vacuum *526
Gage, water *473
Gas analyzer *415
Gas cleaner *527
Gearmotor *214
Generator, acetylene *581, *582
Generator, electric steam *414
Governor, engine *215
Governor, pressure *103
Grease cartridge 693
Hammer, rawhide-face *50
Heater, feed-water *416
Heater, fuel oil *160
Heater, unit *526, *636
Hoist, chain *103, 417
Hose, suction *692
Hour counter *270
Hydro-electro plant *470
Indicator, direct-to-furnace 528
Indicator for fuses. *471
Indicator, valve position *470
Insulating material 636
Insulating plastic 413
Insulation block 268
Insulation, cellophane *582
Insulation, pipe and block *52
Insulation, plastic 581
Insulation, special 270
Insulation, waterproof 104
Iron, cast 51
Lamp, indicating *270
Light source for phototube controllers. 213
Lightning protector, meter *639
Lubricants, gear 638
Lubricant, graphite 52
Lubricant of mineral oil 414
Lubrication graphite 471
Lubrication, guide-rail *270
Lubricator *529, 694
Manometer—regulator 413
Measuring device, remote *104
Metal-spraying gun *414
Meter, boiler water *695
Meter, concentration *268
Meter, electric flow *415, *473
Meter, flow 52
Meter, industrial boiler *692
Meter, pipe flow *692
Meters, portable *470
Meter, shunt *414
Meter, torsion *472
Mixer, liquid-gas *268
Motor, arbor *270
Motor, capacitator *52, *268
Motor, D.C. *269
Motor, enclosed fan-cooled *471
Motor, flanged head *417
Motor, gear pump and fluid *160
Motor-gear reduction *637
Motor, induction *271
Motor operator *105
Motor, rapid reversing *214
Motor, splash proof *636
Motor, squirrel-cage *692
Motor, totally inclosed synchronous *51
Motor, variable speed *582
Motoreducer *50
Oil seal *636, *637
Outlet, weather proof *51
Packing, plastic metallic lead 104
Packing, semi-metallic 415
Paint, aluminum 270
Panels for circuit breakers *582
Pipe, lead covered 417
Pipe fittings, threadless *415
Pipe tools *581
Piston-ring expansion joint *416
Plier, test 528
Polisher, tube end *268
Potentiometer, recording *414
Power plant, emergency *416
Proportioning unit *413
Pump, centrifugal *51, *104, 268, 694
Pump, fuel-oil *102
Pump—motor *50

(*) Illustrated. (Ed.) Editorial

Page

Pump, rotary *528
Pump with motor 214
Push button stations *268
Pyrometer *212
Pyrometer, indicating potentiometer....*103
Pyrometers, optical *50
Pyrometer, potentiometer *268
Pyrometer, recording potentiometer..... *52
Rack, barrel 695
Recorder, electrical operation *471
Recorder, humidity and temperature....*215
Refractory facing 529
Refrigeration, water-vapor *270
Register, demand-meter *269
Regulator, furnace draft *52
Regulator, generator voltage *470
Regulator, manual *695
Regulator, master *529
Regulator, mercury thermal *102
Regulator, pressure-reducing *580
Regulator, recording *213
Regulator, refrigeration temperature....*526
Regulator, temperature *529, *583
Relay, lowering, for cranes *215
Relay, photo-electric *269
Relay, solenoid *473
Relay, supersensitive *50, *213
Relay, synchronizing relay *581
Relay, vacuum contact *269
Reseater, valve *268
Review of power and mechanical equipment *733, 760
Ring packing 214, 270
Rust preventive 52
Sealing compound 415
Separator *159
Separator, automatic *161
Separators for storage batteries *471
Separator, steam *212
Sheave, reinforced *694
Silencer and air cleaner *414
Slide rule 103
Smoke recorder 412
Solenoid mechanism, trip free *694
Speed reducer, built in *50
Speed reducer, motorized *212
Sprinkler *413
Starter, automatic motor *582
Steam recovery unit, byproduct.....*528
Stoker air plate *694
Stoker, chain grate *473
Stoker, underfeed *50
Stoker, traveling grate *414
Stoker and combustion system *639
Strainer, duplex *271
Strainer, self-cleaning *159, *412
Surface, metal, protection 268
Switch, indor disconnecting 639
Switch, magnetic, oil immersed *105
Switch, vacuum *695
Switchboard instruments.....*52, *527
Tannin brick 413
Tape, electric 693
Tape and splicing compound 694
Telemetering system *528
Telemetering system, electronic relay..*638
Terminal, cable 161
Thermometer, dial and recording.....*105
Thermometer, portable *526
Thermometer, recording *417
Threader, poster *414
Threading tool 526
Thrustor, improved *581
Transformer, portable current *161
Transmission, variable speed *416
Trap *639
Trap, bucket 583
Trap, combination *269
Trap, inverted-bucket steam 213
Trap-pump unit *694
Trap, steam *213, 413
Trap, thermostatic steam 470
Treatment, feed- and hot water.....*161
Tube, condenser *268
Tube-fastening method *104
Tubing, metallic 415
Vacuum cleaner *695
Valve, air operating *160
Valve, automatic regulating *159
Valve, bronze gate *638, *694
Valve combination *417
Valve, controlled *416
Valve, diaphragm motor *415
Valves, electro-hydraulic and electro-magnetic *473
Valve, exhaust relief *415
Valve, extra-heavy bronze *693
Valve, flow control *471
Valve, fluid *52
Valve, gate *582
Valves, globe and angle *213, *693
Valve, heat motor *580
Valve, lubricated-plug *160
Valve, manifold *416
Valve, micro regulating *412
Valve, plug type *159
Valve, radiator *161
Valve, relief 580
Valve, silchrome exhaust *472
Valve, steel *415
Valve, steel gate *160
Valve, water mixing *416
Valve operator, electric *102
Ventilator, portable *637
Washer, steam *470
Water column *581
Waterproofing for walls 215
Waterproofing liquid 529
Weld-stress reliever *582
Welder *636
Welder, A.C. 638
Welder, 400 amp. 412
Welder, gas-driven *529

Page

Welder, motor generator *692
Welder, portable stud *580
Welding electrode 636
Welding fixture *472
Welding head *637
Welding machine *105
Welding set *636
Winder, coil *214
Wrench, ratchet *413
Evaporation costs (Power's Data Sheets). 248

F

FANS

Air velocity, not tip speed, affects fan erosion. A. A. Criqui *195
A.S.M.E. meeting discusses fans; airflow in fan discharge ducts, pulsating air flow, intake orifice for testing exhaust fans, fan test code fan research, effect of outlet bend on fan performance 723
Fitness not included in guarantee. Leslie Childs 72
What type fan best for forced and induced draft? A. A. Criqui *250

FEEDWATER

Boiler feedwater (A.S.M.E. meeting).. 725
Condensate return line corroded. Collins, Little, Summers 264
Condensation reservoir improves reducing valve operation. S. H. Coleman....*628
Feed systems show high obsolescence (chart) 710
High pressure feeder for boiler compound. H. M. Spring, Jr. *257
How much phosphate is needed for feedwater makeup. R. E. Summers ...*452
Hydrostatic-regulator control for feedwater system. C. O. Perkins.....*627
Internal or zeolite 98
Who's billed for blowdown. S. H. Coleman 205
Flue gas, SO_2 and CO_2 from 121
Flue gas washer fits in before induced-draft fan. J. G. Coutant *456

FUEL

Do new oil burners under old boilers damage boilers or settings? Spring, Brearley, Olive, Hoffman, Lincoln, Degen 154
Evaporation costs (Power's Data Sheets) 248
Gas fired furnaces in Holly Sugar Co., Sidney, Mont. *124
Pointers on burning fuel oil. A. G. Solomon 432
Steam-generating equipment developments of 1933 ..... *8
Virginia saves $73,000 yearly in fuel on institution plants 183
Western Union shifts to oil firing; to pay out in two years *122

G

Gas compressor lubrication improvements. E. K. Nicholson *74, *180, *391, *487
Gas compressor plant shut down quickly. F. L. Kallam *178
Gas producer, a reborn power source. Ludwig Lustig *457
Gas producers dormant in America. J. H. Bender 630
Gibson, F. M.—brief life *674

H

HEAT

Eenergy on parade. P. W. Swain.....*355
Heat of liquid 98
Heat transfer in baffled tube bank (A.S.M.E. meeting) 717
Who's billed for blowdown? not the boiler. S. H. Coleman—what's a boiler. C. H. Berry *132
Heat balance—Clinton Cotton Mills' power plant—heat balance diagram. Guy Mankin 486
Hershey Chocolate Corp. adds new boilers—diagram of heat balance. Alton Kirkpatrick *61
Heaters—condensation reservoir improves reducing valve operation. S. H. Coleman *628

HEATING AND VENTILATING

A.S.H.V.E. meeting in New York—air conditioning, heating plant corrosion, heating and ventilating exposition... 152
A.S.H.V.E. meeting in Poconos 419
Air blows dirt from Empire State Bldg. steam lines *557

Page

Auxiliary oil burner saves fuel. C. H. Churchill 144
Boston's vehicular tunnel ventilated by two-speed fans *433
By-product kilowatts from hot water. H. V. Schoepflin *560
Chicago Union Station plant supplies steam to seven. Thomas Wilson *172
Empire State building uses an automatic air relief valve *665
Firebox boiler fired by chain grate stoker in two Freeport schools.....*179
Holyoke's hive of oil furnaces.....*542
Kilowatts from hot water. Abbott Allen. 687
Kline's specialty store air conditioned by unit system. Paul Reed *384
More by-product power by using hot water heating. N. D. Gove.....*378
Mount Holyoke multi-unit heating plant goes into operation 697
Preheating applied to air conditioning. Andre Merle *236
Steam engine exhaust will deposit some oil in heating system. Lingard, Bell, Sforzini, O'Hare, Martin, Reilly.... 519
Steam heat in 1912. J. A. Ellicott 564
Story of heating and air conditioning.*312
Washington, D. C.—central heating plant installed for administrative buildings. F. P. Fairchild *373
Washington's post office provided with three types of systems for air conditioning and heating. R. N. Ward....*440
Water leg protects heating main. C. A. Armstrong *405

HIGH PRESSURES AND TEMPERATURES

A.S.M.E. talks of high temperatures and pressures 715
Auxiliary pointer on pressure gage magnifies changes in pressure. C. L. Alexander *683
High flue gas temperature 208
High pressure industrial steam plants—table comp. by F. A. Annett....338, 344
Pacific Gas & Electric station turbine takes full load in 36 sec. V. F. Estcourt *134
Seger pyrometer cones 632
Thermocouple of high velocity measures hot gases accurately. H. F. Mullikin..*565
Variable pressure operation with the Benson boiler. F. Ohlmuller..... 206
Hoist, gear drive in mine *55
Hydro-electric power plants. See Water power.

I

INSPECTION AND MAINTENANCE

Abrasive dust wears pulley crowns. J. E. Hyler 42
Air blows dirt from Empire State Bldg. steam lines *557
Are your diesels maintenance hounds? P. M. Thayer 667
Boiler tube replaced in two sections. H. M. Spring *683
Bronze surfacing in power plant maintenance. T. W. Greene *448
Care of mercury in steam flowmeters. W. E. Warner 42
Cast-iron base fails on heating boiler. M. E. Wagner 261
Caulking to prevent caustic embrittlement. E. F. Eckel 550
Cause of knock in duplex pump. W. E. Sorel 515
Centrifugal pump troubles corrected. F. A. Kristal 144
Changing position of burners corrects refractory troubles. H. M. Spring.... *43
Chief or efficiency man? N. T. Pef..... 245
Clean out the piping system. S. H. Coleman 567
Cleaning oil coolers. W. E. Warner.... 568
Cleaning oil-soaked floors. M. W. Meyer 147
Cleaning oil-soaked floors. B. W. Wheeler 45
Cold glue used as a belt cement. J. E. Noble 45
Condensers used as sump pump. Leonard Long *43
Cracks in return tubular boiler repaired by welding. F. E. Bateman..... 90
Device for laying out bolt holes. J. S. Carpenter *204
Don't economize on power maintenance. H. M. Spring 82
Don't return condensation from oil heaters to boilers. Wm. Wilcox.... *91
Don't use generator frame as jack to lift rotor. McConnell, Bender, Nagle. Elliott 210
"Dry ice" lowers large tank to its foundation. C. L. Jones *203
Elevator operation improved by new grade of brushes. W. H. Cline..... 403
Elevators kept on the job by better maintenance. Conrad Langschultz....*606
Fly ash cleans turbine 435
Handy truck for plant. S. H. Cooke..*404
Homemade wrenches for twisting and straightening. S. H. Cooke *204
Improper attention causes bearing failures on hydro electric units. R. B. Glen 79
Installing soot blowers. Raymond Septor 88

(*) Illustrated. (Ed.) Editorial

Page

Installing and removing piston rings. J. T. Towlson *89
Kansas Power & Light uses hoist to remove sand from water intake. Rumatz & Johnson *434
Key extractor made from old file. S. H. Cooke *259
Lost steam 46
Lubricator made from pipe fittings. R. Rohe 146
Manage maintenance. Vaksdal & Kriger 652
Motor maintenance. H. R. Larson *229
Motors dried after 4 month submersion. F. A. Stortz, Jr. 403
Ohio Public Service Co. files photos for records of construction, maintenance. John Collister *608
Oil ignited in oil separator on air compressor. W. E. Warner 461
Paint observations. F. M. Hartley, Jr... 570
Plan operation. E. H. Barry 654
Plugging the leaks cuts fuel costs 40%. E. S. Brown 130
Power plant engineer saves owner $50,000 a year. A. S. Wells *234
Power plant painting. E. J. Tangerman, pt. 1 *196; pt. 2 ..... *254
Purchasing agents and packings. S. H. Cooke 551
Reclaiming leather belts. Mills, Brodie.. 47
Reinforcing flexible tubing. David Fliegelman *88
Relocation of combustion switch cures oil burner trouble. A. Anderson.... *145
Replacing boiler tubes. C. A. Armstrong. *203
Scheduled maintenance of hydro-plant equipment 578
Sediment tank installed to prevent gage-glass blowouts. M. E. Wagner..... *146
Slip ring treatment against chlorine gas. W. E. Warner 89
Soot-blower maintenance. W. E. Warner 261
Sprayed molten metal coatings applied by gun. E. J. Tangerman *661
Staging for vertical fire tube boiler furnace. H. M. Spring *627
Steel plates in coal bunker protected. W. E. Warner 462
Straightening diesel crankshafts. Keck, Warner, Vander Eb..... 689
Sugar refinery plant's "experience log". *174
Support for inverted bucket traps. C. A. Armstrong *145
Tempering cold chisels. S. H. Cooke.... *569
Traps reduce superheater maintenance costs. S. H. Coleman *684
Tool for installing chain drives. S. H. Cooke *684
Vapor process for degreasing leather belts. C. F. Hoffman 147
Water leg protects heating main. C. A. Armstrong *405
What causes a centrifugal pump to lose its prime? L. R. Baker..... 91
What price a bucket of oil? H. M. Spring, Jr. 92
International Acetylene Assn.—Meeting in Pittsburgh 697

K

Kriger, Frederick S.—brief life *675

L

Labor—Responsibilities and men. F. M. Gibson 650
Lawsuit regarding fan—fitness not included in guarantee. Leslie Childs..... 72
Low, F. R.—fiftieth anniversary of "Power" 279

LUBRICATION

Cylinder lubrication improved on gas compressors. E. K. Nicholson..... *391
Gage to show level in oil tank. Roy Emison *461; T. F. Norris *687
Hydrostatic-lubricator operation in cold water. H. M. Spring, Jr. *145
Lubrication discussed at A.I.S.E.E. convention 576
Lubrication system altered for gas-compressor crosshead pins. E. K. Nicholson *180
Oil grooves on bearings. G. F. McClay. *567
Oiling made automatic on free wheeling clutches. C. L. Alexander..... *669
Oil-treating changes keep compressor bearings cool. E. K. Nicholson.... *487
Small diesel plant requires more lubrication. T. S. Winters..... 516
Theory and practice in lubrication (A.S.M.E. meeting) 726
What price a bucket of oil? H. M. Spring, Jr. 92
Wise changes in bearing oil prooves paid in big dividends. E. K. Nicholson *74
Wire-rope lubrication. W. E. Warner.. *45

M

Page

MANAGEMENT

Experience speaks 660
Look ahead. Philip W. Swain..... 655
Plan operation. E. H. Barry 654
Responsibilities and men. F. M. Gibson 650
Marine—Claude starts out with floating ice plant 585
Motorboat show features diesels *85

MERCURY

General Electric mercury-steam plant at Schenectady (Plants typical of 1934). R. B. Purdy *328
Welded highways for mercury at Schenectady station *137

METERS

Ammeter measures induction-motor output. M. M. Rose *42
Care of mercury in steam flowmeters. W. E. Warner 42
Check steam flow—where from, where to, how much. F. W. Rabe..... *508
Fluid-meter nozzles for turbine condensate discussed at A.S.M.E. meeting 716
Fluid meters (A.S.M.E. meeting)..... 725
Fuel and air metered to South Amboy boilers. F. A. Annett *544
How to minimize steam flow pulsation. Cantrell, Spring, Hahn, Martin..... 573
How two type current meter method of measuring water is used. J. M. Mousson 147
1933 developments in metering and control *36
Protects oil tank gage against surges. William Anderson *258
Recording thermometer used as a back pressure valve indicator. J. A. Sether. *144
Weak magnets cause wattmeter to over-register. V. K. Stanley..... *146

MODERNIZATION

Bayway Refinery modernizes step by step. Otto Lessing *539
Creamery modernizes power equipment and saves $10,500. George Spurgeon. *459
Fort Howard Paper Co. modernizes its power plant *677
Goodyear installs 800-lb. pressure boiler and turbines. H. A. Davis *225
Grain elevators changed from steam-engine drives to motor drives and save. M. A. Buettell *176
Hershey Chocolate Corp. adds new boilers. Alton Kirkpatrick *61
Minnesota's largest brewery builds new power house and modernizes equipment *593
Nine steps toward a modern plant. N. T. Pef 622
Old man obsolescence and his toll from industry 704
Old-Quaker distillery adds skip hoist, weigh larry for coal and three new boilers. H. V. Schiefer *80
Power's survey of power plants for obsolescence 704-714
Replace obsolete pumps and save money. F. A. Kristal *670
Mol disliked by Russians, prefer formulas. *246

N

National Assn. of Power Engineers—Minneapolis convention *584
National Assn. of Used Machinery & Equipment—Dealers—formed 53
National Metal Congress & American Welding Society—Exposition and meeting discussing welding *620
Noise (Ed.) 481

O

OBITUARIES

Anderson, F. Paul 275
Armstrong, Robert W. Jr. 588
Atkinson, Harry H. 165
Badger, Daniel B. 642
Barkle, John E. *477
Barre, Herbert *423
Bishop, Earle P. 587
Bowman, Franklin M. 642
Bradford, Henry B. 477
Bradley, Daniel M. 423
Bradley, Thomas P. 54
Brady, Arthur E. 54
Broderick, Michael H. 587
Chamberlain, A. B. 108
Christoph, George 534
Cooke, J. R. 534
Cornell, Ward I. 165
Devereux, Walter B. 699
Edgar, Harry T. 165
Farrell, Leonard 423
Fisher, George E. 165
Golden, C. E. 423
Goodwin, Harold L. 54
Hawkshaw, H. J. 423
Henderson, Robert 587
Hewlett, Edward M. 423
Johnson, Joshua 534
Jones, Edward W. 275
Jupp, Alfred J. 275
Kelly, John F. 699
Kennedy, Frank W. 165
Lee, William S. 219
Ludeman, Edwin H. 698
MacFarlane, William 587
Martin, W. S. 588
McNiece, J. R. 587
McRae, Kenneth A. 54
McKee, William 423
Messinger, Clifford F. 54
Moller, Kenneth 699
Morse, Everett 108
Nutting, Louis B. *107
Oechsle, Joseph S. 108
Page, George B. 588
Paterson, F. W. 642
Peabody, Cecil H. 423
Redmond, William 534
Reed, Walter 219
Rice, Calvin W. *642
Robertson, James L. *423
Roe, James P. 642
Rogers, Howard L. 588
Rosencrans, E. J. 588
Ryan, Harris J. 534
Ryan, Walter D'Arcy 219
Sessions, Edson O. 423
Shay, John T. 275
Smith, John H. 477
Smith, Robert H. 54
Snow, Chas. J. 165
Sprague, Frank J. 642
Svenningson, Sven 534
Thicke, Frank H. 423
Tiffany, James R. 423
von Miller, Oskar 275
Walcott, Joseph H. 54
Westinghouse, Henry H. 54
Wheeler, Frank R. 219
White, William P. 642
Wulf, Henry F. G. 698
Oil burners—Holyoke's hive of oil furnaces. *542
Pointers on burning fuel oil. A. G. Solomon 432
Oil and Gas Power—Meeting at State College, Pa. 418

P

Photographs filed for records of construction, maintenance. John Collister.... *608

PIPING

Clean out the piping system. S. H. Coleman 567
Draft gage connections that prevent trouble. C. C. Phelps *672
Free advice that saved one pump buyer 10 per cent. F. A. Kristal *73
Pipe angles to suit any turn. S. H. Cooke *514
Switzerland skating rink uses 51 miles of copper tubing *666
Universal joint for valves or other mechanisms. S. H. Cooke *629
Welded piping (picture feature)..... 624

POWER

After 50 years (Ed.) 280
Dedication of fiftieth anniversary number of "Power" 279
Energy on parade. P. W. Swain *355
Fiftieth Anniversary number ..... June
Historical summary of "Power" 54
Milestones of 1934 ..... *351
Pessimists (Ed.) 427
"Power" history *309
Power in 1933. R. B. Purdy *2
Power records of 1934—table 354
Power reminiscences of old timers. Hirshfeld, Knight, Hutchinson, Lewis, Breckenridge, Potter, Stetson, Furbush 388
Power reminiscences. Vincent, Randall, Harris, Sibley, Iddles, Greene 444
Power reminiscences of old timers. Christie, Stevens, Fish, Barney, Griffel, Pollard, Elliott, Scott, Kelsey... 499
Power's future. G. A. Orrok *362
"Power's" survey of power plants for obsolescence 704-714
Story of power: slaves and wind, water, steam, gas and oil, electricity. E. J. Tangerman *281
What amount of power equals a "stone" 518
What's ahead? (Ed.) 59
Power plant from auto engine *564

POWER PLANTS—STEAM

A.W.A. Club House plant shows operating savings of $47,000. G. M. Hanna *600
American Chicle adds turbines to boiler plant to pay out in 3½ years..... *115
American designs followed in French power plant—Vacuum Oil Co., Port Jerome, France *200

(*) Illustrated. (Ed.) Editorial

Page

Bayway Refinery modernizes step by step. Otto Lessing *539
Beacon Street Heating Plant of Detroit Edison adds circulating tubes and reduces moisture in steam. E. M. Brown *76
Buzzard Point (Plants typical of 1934). R. B. Purdy *318
Chicago Union Station plant supplies steam to seven. Thomas Wilson....*171
Clinton Cotton Mills' power plant also supplies power to Lydia Cotton Mill. Guy Manikin *483
Conclusion and summary of Power's plant survey 714
Constant-speed control of steam prime movers. R. G. Standerwick.....*450
Creamery modernizes power equipment and saves $10,500. George Spurgeon.*459
Endicott-Johnson replaces six old boilers with one pulverized fuel boiler. F. A. Westbrook *182
Engineer of power plant saves owner $50,000 a year. A. S. Wells *234
Essex plant, Detroit Edison, switch plant design. A.I.E.E. 94
Ford builds high pressure plant in England 216
Foreign power—summarizing 1933 progress *29
Forstmann Woolen (Plants typical of 1934). R. B. Purdy *324
Fort Howard Paper Co. modernizes its power plant *677
General Electric mercury-steam plant at Schenectady (Plants typical of 1934). R. B. Purdy *328
Goodyear adds 800-lb. pressure boiler and turbine. H. A. Davis *225
Hershey Chocolate Corp. adds new boilers. Alton Kirkpatrick *61
High pressure industrial steam plants—table comp. by F. A. Annett 338
High pressure steam central stations—table comp. by F. A. Annett 344
Holly Sugar Co., Sidney, Mont., changes from coal to natural gas *124
Hot-water heating for more by-product power. N. D. Gove *378
Hudson Avenue (Plants typical of 1934). R. B. Purdy *322
Hudson Avenue Station switching plant design. A.I.E.E. 94
Hudson Avenue Station tested for boiler losses. (A.S.M.E. meeting) 716
Hygrade Food Products skims 200 KW from purchased steam *241
Industrial power session at the A.S.M.E. meeting 729
Lakeside Station of Milwaukee Railway & Light Co. boilers show high availability 672
Long Beach Station, Southern California Edison, switch plant design—A.I.E.E. 94
Metering fuel and air at South Amboy station. F. A. Annett *544
Minnesota's largest brewery builds new power house and modernizes equipment*593
Nine steps toward a modern plant. N. T. Pef 622
Ohio roofing plant adds steam generating unit *109
Old-Quaker distillery adds skip hoist, weigh larry for coal and three new boilers. H. V. Schiefer *80
Old time factory power house, 1884 ..*388
Pacific Gas & Electric station turbine takes full load in 36 sec. V. F. Estcourt *134
Power's survey of power plants for obsolescence 704
Questions and answers to Power's survey of power plants for obsolescence. 713
Richmond Station, Philadelphia Electric, switch-plant design—A.I.E.E..... 94
Richmond Station of Philadelphia Electric uses hydraulic couplings to lessen forced draft fan power *398
South Amboy (Plants typical of 1934). R. B. Purdy *320
State Line plant, Chicago, switch plant design—A.I.E.E. 94
Steam plants placed in operation or under construction during 1933..... 4
Steam plants that made history—Braithwaite table engine *247
Steam plants that made history—Coalbrookdale engine *193
Steam plants that made history—Moria engine *139
Steam plants that made history—Stamford engine *25
Steam plants that made history—Warwick Navigation engine *83, *387
Steam plants that made history—"Windmill end" winding engine *138
Sugar refinery plant's "experience log".*174
Taylor's single unit plant has high reliability *429
Trebovice plant, Czechoslovakia, supplied with steam by Loeffler boilers *96
Typical industrial steam plants—table comp. by F. A. Annett *342
Typical recent diesel installations—table comp. by E. J. Tangerman..... 346
Vernon not for standby. Howard McCurdy 406
Washington, D.C.—central heating plant installed for administrative buildings. F. P. Fairchild *373
Western Union shifts to oil firing; to pay out in two years *122

Page

When will central stations add units? what units? R. B. Purdy *488; pt. 2 *548
Wilson & Co., Inc. (Plants typical of 1934). R. B. Purdy *326
Wilson & Co., Chicago plant, modernized plant to pay out in five years. J. M. Lenone *184

POWER SERVICES

A.W.A. Club House power services supplied by steam engine generator and oil burners. G. M. Hanna *600
American Chicle adds turbine to boiler plant and cooling tower for condenser and refrigerating machines *115
Bayway Refinery modernizes step by step. Otto Lessing *539
By-product kilowatts from hot water. H. V. Schoepflin *560
Chicago Union Station plant supplies steam to seven. Thomas Wilson *171
Clinton Cotton Mills' power plant also supplies power to Lydia Cotton Mill. Guy Mankin *483
Hershey Chocolate Corp. supplies power, process steam and heating, also electricity for power. Alton Kirkpatrick *61
Hygrade Food Products skims 200 KW from purchased steam *241
Minnesota's largest brewery builds new power house and modernizes equipment *593
Money-saving hints on cheap power 711
Power from the atom? O. H. Caldwell .*368
Renewing your industrial power contracts 664
Steam standby generating set operates automatically. R. G. Barbour *90
Taylor's single unit plant supplies process steam and power *429
Washington, D. C.—central heating plant installed for administrative buildings. F. P. Fairchild *373
Power Show at New York City *731

POWER TRANSMISSION

Avondale Farms Dairy Co. obtains power with small diesels *377
Belts join refrigerating compressors with engine *65
Connecting motor and load. Robert Drake*490
Flat belt power losses and how to reduce them. R. W. Drake *238
Gear drives wear rapidly. Mason, Lambert, Gooch, Butcher, Myers 466
Grain elevators changed from steam engine drives to motor drives and save. M. A. Buettell *176
Hydraulic couplings lessen forced-draft fan power at Richmond Station ...*398
Oiling made automatic on free-wheeling clutches. C. L. Alexander.....*669
Story of power transmission *315
To study work required to flex belts .. 207
Tubular shafting to transmit power across wide alley. J. E. Hyler 88
World's largest cableway serves Boulder Dam plant. C. C. Clymer *502

POWER'S DATA SHEETS

Armature insulation resistance 676
Chart for determining head, capacity, efficiency or horsepower of a pump .. 194
Compressor data 390
Evaporation costs 248
Horsepower of rope drives 28
Insulation resistance for stator windings of induction motors 446
Insulation resistance of armature winding for synchronous machines below 1,000 KVA..... 556
Power required for pumping water 498
Psychrometric chart 140
Refrigerating capacity of ammonia compressors 84
Surface condenser data *626

PROCESS STEAM

By-product kilowatts from hot water. H. V. Schoepflin *560
By-product power generated from process steam for Vacuum Oil Co., Port Jerome, France *200
By-product power misnamed? DeWeese. Swain 617
Hershey Chocolate Corp. supplies power, process steam and heating, also electricity for power. Alton Kirkpatrick *61
How to select turbines for industrial power uses. R. S. Fitch *598
Hygrade Food Products skims 200 KW from purchased steam *241
More by-product power with hot water heating. N. D. Gove *378
Paralleling the operation of extraction turbines. J. D. Carson *494
Taylor's single unit plant supplies process steam and power *429
Virginia saves in fuel on institution plants by improved equipment and operation 183
What price exhaust steam? Matthes, Martin, Brook, Coleman 99
Production—prosperity is R.P.M. (Ed) .. 591
Psychrometric chart (Power's Data Sheets) 140

PUBLIC UTILITIES

High pressure steam central stations—table comp. by F. A. Annett 344
Kansas Power & Light uses hoist to remove sand from water intake. Rumatz & Johnson *434

Page

Lakeside Station of Milwaukee Railway & Light Co. boilers show high availability 672
Ohio Public Service Co. files photos for records of construction, maintenance. John Collister *608
When will central stations add units? what units? R. B. Purdy *498; pt. 2 *548

PULVERIZED COAL

Endicott-Johnson replaces six old boilers with one pulverized fuel boiler. F. A. Westbrook *182
Handling furnaces burning pulverized fuel. H. M. Spring, Jr. 543
Wilson & Co., Chicago plant, burns pulverized coal pults in new boilers and turbines to pay for itself in five years. J. M. Lenone *184

PUMPS

Barr pumping engine at Washington, D. C., waterworks 1904 .....*396
Cause of knock in duplex pump. W. E. Sorel 515
Centrifugal pump troubles. F. M. Pumphrey 44; F. A. Kristal 144
Chart for determining head, capacity, efficiency or horsepower of a pump (Power's Data Sheets) 194
Condensers used as sump pump. Leonard Long *43
Diesel engine drives deep well pump in Mojave Desert, Calif. *64
Duplex feed pump gives trouble. Crosthwait, Myers, Keplinger, Reilly, Paterson 408
Free advice that saved one pump buyer 10 per cent. F. A. Kristal *73
Gas and diesel engines drive pumps through gears *141
How long to empty an air tank. David Fliegelman *496
How to maintain centrifugal pump efficiency. F. A. Kristal 258
Knowles pumping engine at Clear Stream station, Brooklyn, 1905 .....*397
New York City's Ridgewood pumping station uses synchronous motors. C. C. Shutt *86
Newton, Mass., modernized municipal pumping station 217
Power required for pumping water (Power's Data Sheets) 498
Progress in 1933 .....*40
Propeller pumps in parallel. C. B. Tuley *187
Propeller type pumps applied to surface condensers. C. B. Tuley *395
Pump suction used as condenser. C. W. Peters *627
Pumped-storage hydro electric plants of the world. F. A. Annett *20
Recirculates brine to dissolve calcium chloride. Abe Rocklin *259
Replace obsolete pumps and save money. F. A. Kristal *670
Rotary pumps. J. L. Kempthorne *147
Rotary pumps—characteristics and applications. W. E. Bakewell *602
Some troubles and how they were corrected. F. A. Kristal 202
Story of pumping *314
Vacuum pump operation improved by cooling coil. S. H. Coleman *203
Variable speed drives reduce pump operating costs. Arnold Frank *547
What causes a centrifugal pump to lose its prime? L. R. Baker 91

R

REFRIGERATION

A.S.R.E. annual meeting 730
American Chicle adds steam turbines to boiler plant and cooling tower for refrigerating machines and condensing turbine *115
Basle, Switzerland, skating rink—two stage compressors and 51 miles of copper tubing *666
Belts join refrigerating compressors with engines *65
Centrifugal compressor for water vapor refrigeration. P. A. Bancel..... *93
Claude to build refrigeration plant on ship 164
Completely dieselized ice plant. F. A. Westbrook *523
Effective use of refrigeration condensing water. Leon Buehler, Jr.....*230
Freon 518
Freon refrigerating plant air conditions new post office, Washington, D. C. R. N. Ward *392
Gas engines in ice plant save owners 44 per cent 131
Kline's specialty store air conditioned by unit system. Paul Reed *384
Minnesota's largest brewery enlarges its ice plant to supply brewery also....*593
1933 developments in air conditioning and refrigeration *38
Recirculates brine to dissolve calcium chloride. Abe Rocklin *259

(*) Illustrated. (Ed.) Editorial

Page

Refrigeration capacity of ammonia compressors (Power's Data Sheets).... 84
Six ways to defrost refrigerating pipes. Carl Kilkie 78
Steam-jet refrigeration. D. W. R. Morgan *454, *506
Story of refrigeration *313
Tailor-made weather. R. B. Purdy.....*604
World's largest ice box *696
Research—Measure oxygen with the Winkler test. H. S. Lewis *510
Safe Harbor plant—story of research problems met in designing and operating project. F. A. Annett, pt. 1 *380; pt. 2 .....*438
Rope drives, horsepower of (Power's Data Sheets) 28
Russia—Engineers dislike "mol" prefer formulas 246

S

SMOKE ABATEMENT

Bay State Smoke inspection department re-established 476
Cheap smoke indicator. Kramer, Meinzer, Martin, Spring, McNeill, Korn, Parry, Oatley 99
Chicago campaign shows results 474
Dutch ash catcher *669
Hershey Chocolate Corp. adds dust recovery equipment. Alton Kirkpatrick *61
Problems again assume importance.... 7
Resolutions and campaigns will never stop smoke. H. W. Evans 400
Smoke abatement activity—Boston, Chicago, Cincinnati, Cleveland, Hudson County, N. J. 263
Smoke abatement problems. W. G. Christy 521
Technical co-ordination needed in smoke abatement 149
What can power plants do about smoke abatement. A. E. Grunert—correction 67
What to do with SO_2 and CO_2 from flue gas 121
Standardization—Pipe standards announced 476

STEAM

Beacon Street Heating Plant of Detroit Edison adds circulating tubes and reduces moisture in steam. E. M. Brown *76
Don't return condensation from oil heaters to boilers. Wm. Wilcox.... *91
Ingredients of cheap steam 706
Lost steam 46
Steam experiment. Robert Woods 465
Steel drum problem. Kennedy, Spring.. 571
Story of power. E. J. Tangerman.....*287
Tests of boiler at National Bureau of Standards *562
What price exhaust steam? Matthes, Martin, Brook, Coleman 99

STOKERS

A.S.M.E. meeting talks on stokers.. 715
Chain grate stokers put under old firebox boilers in two Freeport schools.*179
Effect of preheat on stoker operation. 596
Firing of industry's boilers high in obsolescence (chart) 708
Hudson Avenue Station's ten years of stoker development (A.S.M.E. meeting) 716
Operating experience with coal firing (A.S.M.E. meeting) 727
Steam generating equipment developments of 1933 ..... *8
Ten ways to weigh coal to boiler firing equipment *126

Page

Superheaters—Steam-generating equipment developments of 1933 ..... *8
Swain, Philip W. *1

T

Tanks—Quarter elbows for corners.....*175
Return trap operation *614

TURBINES—STEAM

American Chicle adds turbines to pay out in 3¼ years *115
By-product kilowatts from hot water. H. V. Schoepflin *560
Byproduct power misnamed? DeWeese, Swain 617
Constant steam pressure where? Miller, Brockner, Septor, Spring 572
Fly ash cleans turbine 435
Fort Howard Paper Co. modernizes its power plant *677
Increasing plant capacity. Matthes, Septor, Brown, Sorrells, Pef 209
New turbines with old boilers for packing plants. J. Y. Dahlstrand....*188
1933 advances in turbines, engines, condensers *12
Oiling made automatic on free-wheeling clutches. C. L. Alexander.....*669
Pacific Gas & Electric station turbine takes full load in 36 sec. V. F. Estcourt *134
Paralleling the operation of extraction turbines. J. D. Carson *494
Select the right turbines for your industrial power plant. R. S. Fitch..*598
Statistics on prime-mover ages show costly power (chart) 712
Steam consumption rates. Hahn, Bennett, Dunn, Long 688
Steam turbine plants discussed at A.I.S.E.E. convention 577
Story of steam. E. J. Tangerman....*287
Turbine-generator at Battersea *57
Vibration problems discussed at A.S.M.E. meeting 718
World's largest turbine, Chicago District Electric Generating Corp. *352

V

Vaksdal, Alfred J.—brief lift.....*675

VALVES

Empire State building uses automatic air relief valve in heating system.....*665
Indicator reveals condition of gas-mixing valve. H. F. Shepherd *252
Lock your valves for safety. S. H. Coleman 517; S. H. Cooke *257; C. H. Willey *407
Pedal-operated valve. H. Moore *202
Position indicating devices avoid mistakes. G. H. Pearson *402
Reducing valve noise. Miller, Brock, Shafer, Sorrells, Nee, Avery 409; Boylston 516; Green 570
Return trap operation *614
Universal joint for valves or other mechanisms. S. H. Cooke *629
Valve and file made into valve seat facer. Elton Sterrett *513

W

Page

WATER POWER

Boulder Dam (picture feature) 623
Boulder Dam project (Plants typical for 1934). R. B. Purdy *334
Boulder Dam to have the World's largest circuit breakers *379
Boulder Dam plant uses world's largest cableway. C. C. Clymer *502
British Columbia builds temporary power plant *641
Causes of penstock failures. R. B. Glen 129
Foreign power — summarizing 1933 progress *29
Generator parts for Boulder Dam project, Kanawha, and Safe Harbor (picture feature) 616
Improper attention causes bearing failures on hydro electric units. R. B. Glen... 79
Important hydro plants in U. S. and Canada—table comp. by A. V. Karpov 350
Installed water power in the world.... 129
N.E.L.A. Hydraulic Power Committee hold reunion meeting 420
Niagara Falls Power Co. adapts old governors for new regulating job. E. B. Strowger *680
1933 developments *32
Production of prime movers in 1933.. 682
Pumped storage hydro-electric plants of the world. F. A. Annett.....*20
Removable dam for hydro electric plant. I. W. Jones *567
Safe Harbor plant—story of research problems met in designing and operating project. F. A. Annett, pt. 1 *380; pt. 2 .....*438
Safe Harbor project (Plants typical of 1934). R. B. Purdy *336
Safe Harbor runner blade (picture feature) 673
Safe Harbor Water Power records system frequency and gate movement with an oscillograph. J. E. Allen.....*610
Scheduled maintenance of hydro-plant equipment 578
South African power plant to be installed on Klip River 564
Statistics on prime-mover ages show costly power (chart) 712
Story of power. E. J. Tangerman....*283
When will central stations add units?—what units? R. B. Purdy..*488; pt. 2 *548

WATER TREATMENT

Boiler feedwater (A.S.M.E. meeting)... 725
Caustic embrittlement costly..... 600
How much phosphate is needed for feedwater make up. R. E. Summers....*452
Internal or zeolite 98
Measure oxygen with the Winkler test. H. S. Lewis *510
Test water softener operation by this short cut. H. M. Rivers *552
Testing for sulphates 264

WELDING

All-welded Schenectady mercury steam station *137
Arc welded pressure vessel—fractionating tower 263
Bronze surfacing in power plant maintenance. T. W. Greene *448
Cracks in return tubular boiler repaired by welding. F. E. Bateman.... 90
Metal Congress and Exposition, including meeting of American Welding Society *620
Miller medal awarded to J. C. Lincoln.*621
Piping, arc welded (picture feature).. 624
Welding vs. casting (A.S.M.E. meeting).*728
Wind power—Story of power. E. J. Tangerman *281
Wire rope—Lubrication. W. E. Warner.. *45

(*) Illustrated. (Ed.) Editorial

AUTHOR INDEX

ALEXANDER, C. L. Auxiliary pointer on pressure gage magnifies changes in pressure *683. Oiling made automatic on free wheeling clutches *669.
Allen, Abbott. Kilowatts from hot water 687.
Allen, J. E. Oscillograph analyzes governor performance *610.
Allen, Oliver F. Gas producers vs. diesels 686.
Anderson, A. Relocation of combustion switch cures oil-burner trouble *145.
Anderson, Wm. Protects oil-tank gage against surges *258. Water seal traps air 148.
Annett, F. A. Experience story of Safe Harbor plant, pt. 1 *380. Fuel and air metered to South Amboy boilers *544. High pressure industrial steam plants—table 338. High pressure steam central stations—table 344. Modern elevator door operating equipment is safe *190. Power door operators put pep in elevator service *242. Pumped storage hydro electric plants of the world, *20. Typical industrial steam plants—table 342.
Armstrong, C. A. Easily made support for inverted bucket traps *145. Use steel bar as guide when replacing boiler tubes *203. Water leg protects heating main *405.
Arnold, A. C. Red light warns when fan is shut down *569.
Ashton, S. H. Gas leaks into boiler, causes an explosion 90.
Avery, C. W. Reducing valve makes noise 410.

BAIRD, F. D. Rotary converter's operation improved by rewinding *257.
Baker, F. R. Water column indications may be misleading 44.
Baker, L. R. Boiler water wall of ancient vintage *42. What causes a centrifugal pump to lose its prime? 91.
Bakewell, William E. Rotary pumps—their operation and applications *602.
Bancel, Paul A. Centrifugal compressor for water vapor refrigeration *93.
Barbour, R. G. Steam standby generating set operates automatically *90.
Barney, Franklin. Fifty years of power 500.
Barry, E. H. Plan operation 654.
Bateman, Frank E. Cracks in return tubular boiler repaired by welding 90.
Bell, M. Steam-engine exhaust will deposit some oil in heating system..... 518
Bender, J. H. A.C. generator design determines if it can be used for synchronous motor 47. Are 64 diesels in one plant practical? 464. Diesel noise and vibration 467. Don't use generator frame as jack to lift rotor 210. Power gas producers, if not dead, are certainly dormant in America 630. Which depreciates more rapidly, steam or diesel engine? 156.
Bennett, Raymond F. Steam consumption rates 688.
Bernhard, Karl J. Diesel noise and vibration 467.
Berry, C. Harold. Who's billed for blowdown?—what's a boiler *132.
Bovenzi, B. Furnace temperature damages boiler supporting columns *629.
Bowser, R. M. Photo electric cell insures ignition flame in furnace *685.
Boylston, John. Reducing valve noise 516.
Brearley, H. P. Do new oil burners under old boilers damage boilers or settings? 155.
Breckenridge, L. P. Line from "Breck" 396.
Brock, Thomas C. Reducing valve makes noise 410.
Brockner, R. P. Constant steam pressure where? 573.
Brodie, F. E. A.C. generators can be paralleled 520. Reclaiming leather belts 47.
Brook, Thomas C. What price exhaust steam? 99.
Brown, E. M. Adding circulating tubes reduces moisture in steam *76.
Brown, E. S. Plugging the leaks cuts fuel cost 40% 130.
Brown, Weston A. Increasing plant capacity 209.
Browne, T. P. More about blowdown 44.
Bruhl, Paul C. Gages one half bearing to obtain diameter *569.
Buehler, Leon, Jr. Effective use of refrigeration condensing water *230.
Buettell, M. A. Power savings save old grain elevators *176.
Butcher, Ira A. Gear drives wear rapidly 466.

CALDWELL, ORESTES H. Power from the atom? *368.
Candlish, Boyd. Future compressed-air engines 406. High speed vs. low speed diesels 630.
Cantrell, Harry. How to minimize steam flow pulsation 573.
Carpenter, John S. Handy device for laying out bolt holes *204.
Carson, J. D. Parallel operation of extraction turbines *494.
Cather, J. Howard, P. W. Swain, and Alfred Vaksdal. Keep cost records *656.
Chadbourne, C. R. The A-B-C of algebra 150. Solving simple equations 262.
Childs, Leslie. Fitness not included in guarantee 72. Violation of safety rules bars damage for injury 579.
Christie, A. G. 1884-1934 future 499.
Christy, William G. Smoke abatement problems 521.
Churchill, Charles H. Auxiliary oil burner saves fuel 144.
Cline, William H. New grade of brushes improves elevator operation 403.
Clucas, J. Russell. A.C. generator design determines if it can be used for synchronous motor 48.
Clymer, C. C. World's largest cableway to serve Boulder Dam plant *502.
Coleman, S. H. Clean out the piping system 567. Condensation reservoir improves reducing valve operation *628. For the love of Pete, why . . . 507. Lock your valves for real safety 517. Operation of vacuum pump improved by cooling coil *203. Traps reduce superheater maintenance costs *684. What price exhaust steam? 99. Who's billed for blow-down 205. Who's billed for blow-down?—not the boiler 132.
Collins, L. F. Corrosion in condensate return line 264.
Collister, John. File photo facts *608.
Cooke, S. H. Engineer Cooke cooks salmon *120. Guard for a right angle gear drive *461. Homemade wrenches for twisting and straightening *204. Lock your valves for safety *257. Makes pipe angles to suit any turn *514. Old file made key extractor *259. Purchasing agents and packings 551. Simple universal joint *629. Tempering cold chisels *569. This engineer builds a handy truck *404. Tool for installing chain drives *684.
Coutant, J. Gould. Draft fan after washer *456. Free piston diesel compressor *92.
Criqui, A. A. Air velocity, not tip speed, effects fan erosion *195. What type fan for forced and induced draft *250.
Crosthwait, D. N., Jr. Duplex feed pump gives trouble 408.

DAHLSTRAND, J. Y. New turbines with old boilers for packing plants *188.
Davis, Harry A. Goodyear installs 800-lb. steam and generating system *225.
De Camp, J. W. Good electrical insulation 266.
De Camp, T. W. Diesel noise and vibration 468.
Degen, Joseph W. Do new oil burners under old boilers damage boilers or settings? 156.
DeWeese, F. C. Is byproduct power misnamed?—yes 617.
Dingwall, W. W. A.-C. generators can be paralleled 520. Diesel noise and vibration 467. Oil vapor from two cycle diesel crankcases 571. Supercharger or added diesel to increase capacity 634.
Drake, Robert. Connecting motor and load *490. Flat-belt power losses and how to reduce them *238.
Dunbar, A. W. Diesel noise and vibration 468.
Dunn, William R. A.-C. generator design determines if it can be used for synchronous motor 47. Steam consumption rates 689.

ECKEL, E. F. Caulking to prevent caustic embrittlement 550. Still more about blowdown 148.
Edwards, Russell W. Insulation resistance should be above one megohm 463.
Ellicott, Jon A. Letter about steam heat in 1912 564.
Elliott, A. F. Don't use generator frame as jack to lift rotor 210. Operation in 1890 500.
Emerson, Grady H. A-C. generator design determines if it can be used for synchronous motor 48.
Emison, Roy. Builds gage to show level in oil tank *461.
Estcourt, V. F. High pressure turbine takes load in 36 sec. *134.
Evans, Howard W. Resolutions and campaigns can't stop smoke 400.

FAIRCHILD, F. P. Heating the triangle *373.
Fenton, C. H. Testing for a reverse coil in a stator winding *628.
Fish, E. R. All boilers will be welded 499.
Fitch, Roland S. Select the right turbines for your industrial power plant *598.
Fliegelman, David. How long to empty an air tank *496. Reinforcing flexible tubing *88.
Frank, Arnold. Variable speed drives reduce condensate-pump operating cost *547.
Fredericks, A. A. Compression chamber for blow-down valves *405.
Fuller, Lawrence F. Overheated fuses may be caused by poor contact 633.
Furbush, E. W. "Good old days" 397.

GAYLORD, WM. W. More about blowdown 260. Standardized diesel electric sets 493.
Gibbs, J. B. New transformers for old *436.
Gibson, F. M. Responsibilities and men 650.
Gibson, W. P. A.C. generators can be paralleled 520.
Glen, Ray Barr. Improper attention causes bearing failure on hydro-electric units 79. Some causes of penstock failures 129.
Gooch, M. M. Diesel noise and vibration 686. Gear drives wear rapidly 466.
Gove, Norris D. More by-product power with hot water heating *378.
Green, Charles A. Reducing valve noise 570.
Greene, Arthur M. Jr. "Power" 445.
Greene, T. W. Bronze surfacing in power plant maintenance *448.
Griffel, George. How about engineers? 500.

HAHN, GORDON R. How to minimize steam flow pulsation 574. Steam consumption rates 688.
Halberg, M. H., and C. E. Kilbourne. Part-winding starting of synchronous motors *558.
Hanna, Guy M. A.W.A. plant operating savings are $47,000 *600.
Harris, Emerson P. Power's early days 445.
Hartley, Francis M. Jr. Observations on paint 570.
Hayward, L. W. Old Corliss runs without steam 125.
Herrick, L. C. "Bottle neck" 260.
Hirshfeld, C. F. The far view 388.
Hoffman, Chas. F. Do new oil burners under old boilers damage boilers or settings? 155. Vapor process for degreasing leather belts 147.
Hoffman, Kermitt. Good electrical insulation 266.
Hughes, Charles H. Diesel noise and vibration 468.
Hunt, L. A. Overheated fuses may be caused by poor contact 633. Uses a star delta starter on standard motor 686.
Hunter, C. J. Paint versus bubbles 516.
Hutchinson, Ely C. Twenty-seven years ago 389.
Hyler, John E. Abrasive dust wears pulley crowns 42. Tubular shafting avoids deflection in long, unsupported sections 88.

IDDLES, ALFRED. "Fool ideas" that worked 445.

JACOBUS, D. S. When and why boilers are safe *118.
Jennings, J. H. Portable, variable speed power unit *202.
Johnson, O. K. Painted marker shows when to turn on lights *513.
Johnson, O. K., and F. A. Rumatz. Tecumseh engineers win battle with river sand *434.
Jones, C. L. "Dry ice" lowers large tank to its foundation *203.
Jones, I. W. Removable dam for hydro electric plant *567.

KALLAM, F. L. Pull the switch to shut down a gas engine compressor plant in emergency *178.
Karpov, A. V. Important hydro plants in U. S. and Canada—table 350.
Kaufman, W. M. High speed convertible gas diesels, operating data *70.
Keck, J. W. Straightening diesel crankshafts 690.
Kelsey, T. N. Men—journals—societies 501.
Kempthorne, James L. Further types of rotary pump *147.
Kennedy, Alfred. Steel drum problem 571. Which depreciates more rapidly, steam or diesel engine? 156.
Keplinger, E. R. Duplex feed pump gives trouble 409.
Kilbourne, C. E., and M. N. Halberg. Part winding starting of synchronous motors *558.
Kirkpatrick, Alton. New boilers for the Hershey Chocolate power plant *61.
Knight, G. L. Engineers and their works 389.
Korn, Norman L. Cheap smoke indicator 100. How to find ultimate from proximate analysis 249.
Kramer, Bernard. Cheap smoke indicator 99.
Kretschmar, G. G. Thyratron regulates voltage of 90 Kva. alternator *386.
Kriger, Frederick S., and Alfred Vaksdal. Manage maintenance 652.
Kristal, Frank A. Free advice that saved one pump buyer 10 per cent *73. How some centrifugal-pump troubles were corrected 144. How to maintain centrifugal pump efficiency 258. Replace, don't repair and you'll save pump money *670. Some pump troubles and how they were corrected 202.
Kullman, Alfred. Found engine and shafting most economical 407.

(*) Illustrated. (Ed.) Editorial

LAMBERT, W. P. Gear drives wear rapidly 466.
Langschultz, Conrad. Better maintenance keeps elevators on the job *606.
Larson, H. R. Competent motor maintenance pays dividends *229.
Leisher, George L. Overheated fuses may be caused by poor contact 633.
Lenone, J. M. Pulverized coal, new boilers and turbines pay out in five years *184.
Lessing, Otto. Bayway marches on *539.
Lewis, H. S. Measure oxygen this way *510.
Lewis, W. D. Power job today 396.
Ligon, W. J. One old timer writes about another 148.
Lincoln, M. L. Do new oil burners under old boilers damage boilers or settings? 155.
Lingard, B. E. A.C. generator design determines if it can be used for synchronous motor 48. Steam engine exhaust will deposit some oil in heating system 518.
Little, David H. Corrosion in condensate return line 265.
Long, Leonard. Steam consumption rates 689. Use condensers as sump pump *43.
Lubeley, A. J. Paint versus bubbles 406.
Lustig, Ludwig. Automatic gas producer—reborn power source *457.

MALEEV, V. L. Safety with diesels *142.
Mankin, Guy. Power for two cotton mills from one plant *483.
Martin, Wallace H. Cheap smoke indicator 100. How to minimize steam flow pulsation 574. Steam engine exhaust will deposit some oil in heating system 519. Supercharger or added diesel to increase capacity 634. What price exhaust steam? 99.
Mason, Charles J. Gear drives wear rapidly 466.
Matthes, G. F. Increasing plant capacity 209. What price exhaust steam? 99.
McClay, G. F. Oil grooves on bearings *567.
McConnell, J. D. Don't use generator frame as jack to lift rotor 210.
McCurdy, Howard. Vernon not for standby 406.
McGraw, James H. Philip W. Swain *1.
McIntosh, James. Diesel noise and vibration 468.
McLean, Frank W. Overheated fuses may be caused by poor contact 633.
McNeill, T. W. Cheap smoke indicator 100.
Meinzer, Wilmer T. Cheap smoke indicator 99.
Merle, Andre. Preheating applied to air conditioning *236.
Meyer, M. W. Cleaning oil soaked floors 147.
Miller, C. E. Constant steam pressure where? 573.
Miller, M. V. Overheated fuses may be caused by poor contact 633. Reducing valve makes noise 409.
Miller, Thomas E. Maintaining brushes on rotary converters 204.
Mills, C. O. Reclaiming leather belts 47.
Molinet, E. A.C. generators can be paralleled 520.
Moore, H. Pedal-operated valve *202.
Morgan, D. W. R. Refrigeration by steam jet *454. *506.
Moss, Sanford A. Many Corliss engines run on air 260
Mousson, J. M. How two-type current meter method of measuring water is used 147.
Mullikin, H. F. Accurate measurement of high gas temperature *565.
Myers, J. M. A.C. generator design determines if it can be used for synchronous motor 48. Duplex feed pump gives trouble 409. Gear drives wear rapidly 467. Good electrical insulation 266. Overheated fuses may be caused by poor contact 633.

NAGLE, JOHN F. Don't use generator frame as jack to lift rotor 210.
Nee, R. M. Reducing valve makes noise 410.
Nicholson, Ezra K. Alters lubrication system for big gas compressor *180. Changes in oil treating system keep compressor bearings cool *487. Cylinder lubrication improved on gas compressors *391. Wise changes in oil grooves paid in big dividends *74.
Noble, James E. Cold glue used as a belt cement 45.
Norris, T. F. Distant gages for liquid level *687.

OATLEY, HENRY C. Cheap smoke indicator 100.
O'Hare, Charles. Steam engine exhaust will deposit some oil in heating system 519.
Ohlmuller, F. Variable pressure operation with Benson Boiler 206.
Olive, C. E. Do new oil burners under old boilers damage boilers or settings? 155.
Orrok, Geo. A. Tomorrow *362.

PAFENBACH, MAX. Hydro-unit test made without a tachometer 513. Simple method of checking synchroscope connections 683.
Parry, H. L. Cheap smoke indicator 100.
Paterson, Stephen G. Duplex feed pump gives trouble 409.
Pearson, G. H. Valve indicating devices *402.
Pef, N. T. Chief or efficiency man? 245. Increasing plant capacity 209. Nine steps toward a modern plant 622.
Perkins, C. O. Hydrostatic-regulator control for feed water system *627. Pulley out of balance causes sparking at brushes 462.
Peters, C. W. Pump suction used as condenser *627.
Phelps, Charles C. Draft gage connections that prevent trouble *672.
Pickett, G. E. Good electrical insulation 266.
Pollard, Leon L. "Dynamo tender" 500.
Pomeroy, Thos. H. Supercharger or added diesel to increase capacity 634.
Porter, Geoffrey. Operating and maintaining diesel engines 522.
Potter, A. A. Over the horizon 396.
Pray, Wilbur F. Variations in draft losses across boilers 463.
Pumphrey, F. M. Why centrifugal pumps lose their primes 44.
Purdy, R. B. Plants typical of 1934 *318. Power in 1933 *2. Tailor made weather *604. When will central stations add units?—what units? *488; pt. 2 *548.

RABE, F. W. Steam flow—where from . . . where to . . . how much *508.
Randall, Guy B. Fifty years of power 444.
Reed, Paul. Purchased refrigeration conditions specialty store *384.
Reilly, C. T. Duplex feed pump gives trouble 409. Steam engine exhaust will deposit some oil in heating system 519.
Rivers, H. M. Test water softener operation by this short cut *552.
Rocklin, Abe. Recirculates brine to dissolve calcium chloride *259.
Rohe, R. Lubricator made from pipe fittings 146.
Rose, M. M. Induction-motor output determined with an ammeter *42.
Rosenzweig, S. Diesel noise and vibration 467.
Roush, C. G., and R. W. Stromer. Graphic wattmeter controls maximum demand *613.
Rumatz, F. A., and O. K. Johnson. Tecumseh engineers win battle with river sand *434.
Ryan, R. R. Diesel noise and vibration 468.

SCHAEFER, R. M. Sixty-four diesels in one plant are practical *232.
Schiefer, H. V. Repeal brings modernization to Old-Quaker distillery *80.
Schneider, Joseph A. Safe value for insulation resistance 407.
Schoepflin, H. V. By product kilowatts from hot water *560.
Scholz, Carl. Stack lasted 65 years 686.
Scott, Chas. F. Fifty years of power 501.
Septor, Raymond. Constant steam pressure where? 573. Increasing plant capacity 209. Installing soot blowers 88.
Sether, John A. Recording thermometer used as a back pressure valve indicator *144. Stack base damper improves combustion control *88.
Shafer, E. W. Reducing valve makes noise 410.
Shenk, D. H. Supercharger or added diesel to increase capacity 633.
Shepherd, H. E. Indicator reveals condition of gas-mixing valve *252.
Shutt, Charles C. New designs extend synchronous motor uses *86.
Sibley, Robert. Next fifty years 445.
Smith, H. G. Flywheel failure causes mystery 91.
Smith, M. R. Emergency switch for star delta motor, *568.
Soares, Eustace C. A-C generators can be paralleled 520.
Solomon, A. G. Pointers on burning fuel oil 432.
Sorel, William E. Cause of knock in duplex pump 515.
Sorrells, R. F. Increasing plant capacity 209. Reducing valve makes noise 410. Safety marking for disconnect switches *684.
Sporzini, L. J. Steam engine exhaust will deposit some oil in heating system 519.
Spring, H. M. Boiler tube replaced in two sections *683. Changing position of burners corrects refractory troubles *43. Constant steam pressure where? 573. Don't economize on power maintenance 82. How to minimize steam flow pulsation 574. How to store bituminous coal 404. Portable staging for vertical fire tube boiler furnace *627 Steel drum problem 571.
Spring, Harry M. Jr. Bugs in air control for pulverized coal fires 543. Cheap smoke indicator 100. Do new oil burners under old boilers damage boilers or settings? 154. Factors that influence insulation resistance *517. High pressure feeder for boiler compound *257. Improved hydrostatic-lubricator operation in cold weather *145. What price a bucket of oil? 92.
Spurgeon, George. New plant saves $10,500 *459.
Standerwick, R. G. Constant speed control of prime movers *450.
Stanley, V. K. Weak magnets cause wattmeter to over-register *146.
Sterrett, Elton. Valve and file made into valve seat facer *513.
Stetson, George A. "Prometheus Bound" 397.
Stevens, G. D. Subscriber since 1884 499.
Stortz, F. A., Jr. Capacitor cuts paper company's demand charge $400 a year *461. Capacitor installation eliminates overload on turbine generator *515. Capacitor installation pays for itself in eleven months 629. Three 150-Hp. motors, dried after 4-month submersion 403.
Stromer, R. W., and C. C. Roush. Graphic wattmeter controls maximum demand *613.
Strowger, E. B. Old governors adapted for new regulating job *680.
Summers, R. E. Corrosion in condensate return line 265. How much phosphate? *452.
Swain, Philip W. Energy on parade *355. Engineer of tomorrow *370. Is byproduct power misnamed?—no 617. Look ahead 655. New deal or new deck—review of three books *597.
Swain, Philip W., Alfred Vaksdal, and J. H. Cather. Keep cost records *656.

TALBOT, JOHN. Smart guys, these engineers! 181.
Tangerman, E. J. Builder upper *661. Oil and gas engines, what of their future? *367. Power plant painting—what should know about it, pt. 1 *196; pt. 2 *254. Story of power; slaves and wind, water, steam, gas and oil, electricity *281. Typical gas-engine plants installed in U. S. in 1933 18. Typical new gas engine installations—table 349. Typical recent diesel installations—table 346. Typical small diesel plants—table 349.
Taylor, William. High vs. low-speed diesels—operating figures 685.
Thayer, Paul M. Are your diesels maintenance hounds? 667.
Thomas, George D. Diesel electric sets operated in parallel 463.
Towlson, J. T. Installing and removing piston rings *89.
Tuley, C. B. Five ways to start up propeller pumps in parallel *187. Propeller-type circulating pumps applied to surface condensers *395.

VAKSDAL, ALFRED, and F. S. KRIGER. Manage maintenance 652.
Vaksdal, Alfred, P. W. Swain and J. W. Cather. Keep cost records *658.
Vander Eb, H. J. Straightening diesel crankshafts 690.
Van Gorder, Courtland. Insulation-resistance 464.
Vincent, A. S. Fifty years of power 444.
Von Dannenberg, C. O. A.C. generator design determines if it can be used for synchronous motor 48.

WAGNER, M. E. Cast-iron base fails on heating boiler 261. Installs sediment tank to prevent gage-glass blowouts *146. Pilot-valve regulator replaces mercury column *403.
Ward, R. N. Conditioned air and heat for Washington's new power office *440. Largest Freon refrigerating plant air conditions new post office *392.
Warner, W. E. Care of mercury in steam flowmeters 42. Method for cleaning oil coolers 568. Oil ignited in oil separator on air compressor 461. Protecting steel plates in coal bunker 462. Slip ring treatment against chlorine gas 89. Soot-blower maintenance 261. Straightening diesel crankshafts 690. Testing efficiency of laminated brush contact 259. Wire rope lubrication *45.
Weaver, M. H. Fuses blown "mysteriously" by defective bushing 514.
Wells, A. S. Power-plant engineer saves owner $50,000 a year *234.
Westbrook, Francis A. Completely dieselized ice plant *523. Endicott-Johnson replaces six old boilers with one pulverized-fuel boiler *182.
Wheeler, Burton W. Cleaning oil soaked floors 45.
Wilcox, Wm. Don't return condensation from oil heaters to boilers *91.
Wilder, C. J. Vacuum problem 259.
Wilkie, Carl. Six ways to defrost refrigerating pipes 78.
Willey, Charles H. Lock your valves for safety *407.
Williams, R. J. Chicken dinner saved Michigan 500 tons of coal 376.
Wilson, Thomas. Chicago Union Station plant supplies steam to seven *171.
Winters, T. Starling. Lubrication costs increase with small diesels 516. Supercharger or added diesel to increase capacity 634.
Woods, Robert. Steam experiment 465.

YOUNG, J. L. A.-C. generators can be paralleled 520.

ZERBAN, A. H. Inertia supercharging of a semi diesel engine 453.

(*) Illustrated. (Ed.) Editorial